







Proudly Made in the USA

About Us

1

Founded in a basement machine shop in Minnesota in 1962, we are a family-owned company, currently operating in Texas. We manufacture premium drilling accessories for use in power drills, impact drivers and drill presses.

The 1/4" hex power bit shank found on most of our tools has become an industry standard, being accepted in quick change chucks and impact drivers everywhere. Our namesake is the "snap" that's heard when a drill bit, driver bit or other tool is pushed into our patented quick change chuck. By utilizing the quick change system, craftsmen and hobbyists can transition from pre-drilling to driving quickly and easily.

As a 3rd generation family business, we take great pride in each product we provide. By using superior materials, cutting-edge machinery and patented technology, we deliver industrial quality tools at an affordable price, "Proudly Made in the USA".



Page 21

 Quick Change Chucks • Gold Screw Countersinks • • Drill Bit Adapters • iCARB Indexable Carbide Countersinks • • ACB (Adjustable Clearance Bore) Countersinks • • Flat Bottom Counterbores • Shelf-Pin Drill Guides • • Tapered Plug Cutters • Tapered Drill Countersinks • • Ironman Drill Bit Adapters • Self-Centering Hinge Bits • And More •



Page # Category **New Tools and Value Price** 3 Sets iCARB Indexable Carbide 5 **Countersinks Ironman Drill Bit Adapters** 7 **Gold Screw Countersinks** 9 **SD-3 Flat-Bottom** 11 **Counterbores Tapered Plug Cutters** 13 15 **Tapered Drill Countersinks ACB** Countersinks 16 **Ouick Change Chucks & Bit** 17 Organizers **Drill Bit Adapters** 18 **Industrial Driver Bits &** 19 mag-A-bit Magnetizers **Self-Centering Bits** 20 & Shelf Pin Drill Guides **Deluxe Tool Books &** 21 **Mini Tool Books Festool Centrotec** 23 **Compatible Accessories Bench Mount Shank Wrench** Centrotec 1/4" Chuck Page 18 Page 23




Table of Contents



3



New



iCARB Indexable Carbide Countersinks



iCARB Indexable Carbide Countersinks



Sharper, Tougher, Longer

•Solid carbide cutting edges stay sharp longer so you can take on the most challenging, abrasive materials with ease - without sacrificing cut quality

Industry Leading Performance •Unmatched durability & service life Revolutionary New Design •Precision machined countersink body with indexable & replaceable solid carbide inserts Reduced Replacement Cost

•Tool body can be reused again & again **Premium TiN Coated Twist Drill**

•Improved heat resistance, chip flow & tool life

Perfect for Hardwoods

•Ipe, Hard Maple, Jatoba, Teak... No Problem! 4 Sizes Available

 $^{7}/_{64}$, $^{1}/_{8}$, $^{9}/_{64}$, $^{5}/_{32}$ each with a $^{1}/_{2}$ counterbore






5/32

Part # 43616 *T6 driver available for purchase separately



ks	Part #	Drill Size (D1)	Counterbore Size (D2)	Recommended Screw Size Hardwood (Softwood)	List Price	
n e	43607	7/64"	1/2"	#6 (#8)	\$39.99	
xak ers	43608	1/8"	1/2"	[#] 8 ([#] 10)	\$39.99	
ndexabl	43609	9/64"	1/2"	#10 (#12)	\$39.99	
iCARB In Carbide Co	43610	5/32"	1/2"	#8 Machine Screw/Clearance hole for #9-#10 Screw(#10)	\$39.99	
	43622	Replacement Carbide Inserts and Screws for iCARB Indexable Carbide Countersinks (2 pcs. each)				
	43623	Replacement Screws for iCARB Countersink Inserts (2 pcs.)				
	43616	Wera® T6 Driver for iCARB Countersink Inserts				



ent HSS Ills	Part #	Drill Size (D1)	Replacement For	List Price
em ted	49607	7/64"	43607	\$7.65
TiN Coat Twist	49608	1/8"	43608	\$7.65
	49609	9/64"	43609	\$7.65
	49610	5/32"	43610	\$7.65



Fast penetration Ideal for "punch drilling" in hard, tough sheet metal

•Precision machined 1/4" hex shank adapter for use with 3-jaw chucks, quick change chucks, or impact drivers

•Sturdy, screw machine length HSS twist drills are **Made in the USA** and have a Heavy-Duty surface treatment for increased wear resistance and edge toughness

•135° split point resists walking for accurately located holes

Drill Bit Adapters	Part #	Description	List Price				
apt	42206	3/32" Ironman Drill Adapter with HD Twist Drill	\$11.01				
Vds	42208	1/8" Ironman Drill Adapter with HD Twist Drill	\$11.01				
it /	42210	5/32" Ironman Drill Adapter with HD Twist Drill	\$12.06				
<u> </u>	42212	3/16" Ironman Drill Adapter with HD Twist Drill	\$12.06				
E	42214	7/32" Ironman Drill Adapter with HD Twist Drill	\$12.06				
	42216	1/4" Ironman Drill Adapter with HD Twist Drill	\$13.22				
lar	42220*	5/16" Ironman Drill Adapter with HD Twist Drill	\$14.27				
uu	42224*	3/8" Ironman Drill Adapter with HD Twist Drill	\$16.58				
Ironman	40022	5 Piece Ironman Drill Adapter Set ~Includes: 42208, 42210, 42212, 42214, 42216 + 1/8" Hex Key~	\$49.65				
	* Uses 1/4" Adapter and reduced shank drill						



Ironman Drill Bit Adapters

1

•Designed• •Machined• •Assembled• in the USA	Purpose Built for demanding metalword fabrication, installat and maintenance jord Image: Construction of the second	king, ion, obs	1 alt # 40022	
		Part #	Description	List Price
	ement	42906	Replacement twist drill for 3/32" Ironman Drill Adapter	\$6.81
		42908	Replacement twist drill for 1/8" Ironman Drill Adapter	\$6.81
	Ad Ad	42910	Replacement twist drill for 5/32" Ironman Drill Adapter	\$6.81
	Rep Bit	42912	Replacement twist drill for 3/16" Ironman Drill Adapter	\$7.86
	HSS Rel	42914	Replacement twist drill for 7/32" Ironman Drill Adapter	\$7.86
4	Dr	42916*	Replacement twist drill for 1/4" Ironman Drill Adapter	\$9.02
		42920*	Replacement twist drill for 5/16" Ironman Drill Adapter	\$10.07
Part # 42224	Part # 42216	42924*	Replacement twist drill for 3/8" Ironman Drill Adapter * 1/4" Reduced shank	\$11.54

• www.SnappyTools.com • Toll Free # 800-334-7472 •

Gold Screw Countersinks




•Drill the pilot hole and countersink or counterbore for screws in one easy step. Countersink to drive the head of the screw flush with or slightly below the surface

•The 82° countersink angle matches the angle on the head of most wood screws. Easily control depth using an optional stop collar

•Made of thru-hardened steel for long cutting life


•Our signature gold set screw will securely hold the twist drill. Easily adjust the pilot depth or replace a dull bit by simply loosening the large, hardened set screw



•Designed• •Machined• •Assembled• in the USA

Part #	Drill Size (D1) Counterbore Recommended Screw Size Hardwood (Softwood)		Recommended Screw Size Hardwood (Softwood)	List Price		
43005	5/64" 3/8"		#4	\$9.44		
43006	3/32"	3/8"	(#6)	\$9.44		
43007	7/64"	3/8"	#6 (#8)	\$9.44		
43008	1/8"	3/8"	[#] 8 ([#] 10)	\$9.44		
43009	9/64"	1/2"	#10 (#12)	\$9.44		
43257	7/64"	1/4"	#6 Trim Screw (#7/#8 Trim Screw)	\$9.44		
43258	1/8"	1/4"	#8 Trim Screw (#9/#10 Trim Screw)	\$9.44		
43018	1/8"	1/2"	#8 (#10)	\$9.44		
43019	9/64"	3/8"	#10(#12)/Clearance hole for #6 Machine Screw	\$9.44		
43310	5/32"	3/8"	[#] 8 Machine Screw/Clearance hole for [#] 7- [#] 8 Screw	\$11.01		
43010	5/32"	1/2"	Clearance hole for #7-#8 Screw	\$11.01		
43311	11/64"	3/8"	Clearance hole for #9 Screw	\$11.01		
43011	11/64"	1/2"	Clearance hole for #9 Screw	\$11.01		
43312	3/16"	3/8"	#10 Machine Screw/Clearance hole for #9-#10 Screw	\$11.01		
43012	3/16"	1/2"	Clearance hole for #9-#10 Screw	\$11.01		
43124		3/8" Counte	rsink Stop Collar	\$4.19		
43132		1/2" Counte	rsink Stop Collar	\$4.19		
43032	Premium Ro	Premium Rotating Depth Stop (Fits all Gold Screw Countersinks)				
40030	5 Piece Countersink Set ~Includes: 43005, 43006, 43007, 43008, 43009 + 1/8" Hex Key~					
40333	2 Piece Countersink & 3/8" Plug Cutter Set ~Includes: 43007, 43008, 40324 + 1/8" Hex Key~					
40033	3 Piece Countersink Set ~Includes: 43007, 43008, 43009 + 1/8" Hex Key~					
43400			& 3 Piece Countersink Set 1/8" Hex Key + Quick Change Chuck~	\$34.64		

Consistently countersink or counterbore with the **Premium Rotating Depth Stop**




, OU	43540	3.5mm	5mm+7mm	5x40 Confirmat Screws	\$19.83			
0	43750	5mm	7mm+10mm	7x50 Confirmat Screws	\$22.04			
	48240	5/8" x 82° Tool Steel Countersink						
CALIFORNIA RESIDENTS:								

Machine Screw

SD-3 Flat Bottom Counterbores



SD-3 Flat Bottom Counterbores



•Drill a pilot hole or clearance hole and counterbore a flat bottomed hole in one step

- •Great for lag screws, lag bolts, washer head screws, T-nuts & more
- •TiN (Titanium Nitride) coated twist drill offers superior wear resistance
- •Made of thru-hardened alloy steel for long cutting life
- •Precision machined with integrated 1/4" hex shank

11

•The unique geometry of the cutters provide excellent chip clearance and cutting performance, even in hardwoods

	Part #	Drill Size (D1)	Counterbore Size (D2)	Recommended Pilot (Clearance) Hole For	List Price
	32408*	1/8"	3/8"	(#6/#7 Pocket Hole Screw)	\$16.26
	32809*	9/64"	7/16"	#10/#12 Production Screw(#7/#8 Pocket Hole Screw)	\$16.37
S	33208*	1/8"	1/2"	#8/#9/#10 Pan Head Wood Screw	\$16.26
Counterbores	33212*	3/16"	1/2"	#14 Production Screw(#10 Pan Head Wood Screw)	\$17.31
rbe	33216*	1/4"	1/2"	1/4" Pan Head Machine Screw	\$18.36
nte	34012	3/16"	5/8"	(6-32 T-Nut)	\$27.29
Inc	34016	1/4"	5/8"	(1/4" Lag Bolt)	\$28.34
Ŭ	34020	5/16"	5/8"	(5/16"-18 Lag Bolt -No Washer)	\$29.39
m	34812†	3/16"	3/4"	1/4" Lag Screw(10-32 Machine Screw)	\$32.54
Bottom	34816†	1/4"	3/4"	5/16" Lag Screw(1/4" Lag Bolt)(10-32 T-Nut)	\$33.59
Bc	34820†	5/16"	3/4"	(5/16" Lag Bolt-No Washer)(1/4"-20 T-Nut)	\$34.64
Flat	34822†	11/32"	3/4"	1/4"-20 T-Nut (with extra clearance)	\$34.64
	34824†	3/8"	3/4"	(3/8"-16 Lag Bolt-No Washer)	\$35.69
SD-3	36416†	1/4"	1"	5/16" Lag Screw-With Washer	\$37.79
S	36420†	5/16"	1"	(5/16" Lag Bolt-With Washer)	\$37.79
	36424†	3/8"	1"	(3/8" Lag Bolt-With Washer)(5/16"-18 T-Nut)	\$37.79
	36428†	7/16"	1"	1/2" Lag Screw	\$37.79
	36432†	1/2"	1"	(1/2" Lag Bolt)(3/8"-16 T-Nut)	\$37.79
	33164		3/4" & 1"	Stop Collar for 3/4" & 1" Flat Bottom Counterbores	\$19.99

* Works with Part # 43032 (Page 9) † Works with Part # 33164





Tapered Plug Cutters



•Use **SnappyTM** tapered plug cutters to cut your own plugs to conceal screws and other fasteners. Use scraps to match wood grain, making the plug nearly invisible or, for a decorative look, use a contrasting wood

•SnappyTM plug cutters produce a tapered plug, so you get a tight fit with no glue needed. The chamfered nose makes it easy to get the plug started into the bore

•Updated design featuring radial relief on the inside diameter of the cutter for reduced drag and impoved performance. Precision-milled cutting edges and outer reliefs ensure a smooth, clean cut for a consistent, tight-fitting plug

•Thru Hardened to provide excellent wear resistance and a long cutting life

•Always cut to the full depth of the cutter until a radius or chamfer can be seen, clearing chips as needed

•Designed•


•Machined• in the USA

> 3 Pc. Set Part # 43300 •Insert chamfered end first and drive the plug into bore. Trim excess flush with surface using a chisel or flush cutting saw and finish sand

•The plug remains in the board and can be broken out with a screwdriver (or Plug Popper!) or can be sawed to free the plug







1 Inch Plug Cutter Part # 40364




•POP OUT 3/8" and 1/2" plugs with ease!



	Part #	Plug Size Ø	Recommended Maximum RPM	List Price
	40316	1/4"	1000	\$12.59
ers	40320	5/16"	1000	\$13.11
utters	40324	3/8"	1000	\$14.16
C	40328	7/16"	1000	\$15.21
ng	40332	1/2"	800	\$16.26
μ	40336	9/16"	750	\$17.84
pə.	40340	5/8"	700	\$19.41
aperec	40348	3/4"	600	\$27.29
La	40364	1"	500	\$33.59
	42432	Plug Popper for	3/8" & 1/2" Plugs	\$10.49
	43300	3 Piece Tapered ~Includes: 4031	\$36.74	


CALIFORNIA RESIDENTS: A WARNING: See back cover Cancer and Reproductive Harm - For more information go to:www.P65Warnings.ca.gov






•For use in drill press only, with board clamped to table

Tapered Drill Countersinks



- •Use for tapered screws or as a clearance hole for straight screws
- •Made of thru-hardened alloy steel for long cutting life
- •Precision machined to work with **SnappyTM** quick change chucks or any tool designed to accept a 1/4" hex shank
- •Two large hardened set screws securely hold the countersink to the tapered drill to prevent slippage





Part # 44300

- •Countersink to keep screw heads flush with or slightly below the surface
- •Counterbore to drive screw below the surface and plug the hole

	Part #	Drill Size (Ø)	Counterbore Size (Ø)	For Tapered Screw Size	List Price
nks nks	44006	9/64"	3/8"	#6	\$15.42
	44008	11/64"	3/8"	#8	\$16.05
Tapered Counter	44010	13/64"	3/8"	#10	\$16.58
	44036	(Fits T	tating Depth Stop nks, ACB Countersinks & untersinks Only)	\$27.29	
	44300	3 Piece Tapered Drill Countersink Set ~Includes: 44006, 44008, 44010 + 1/8" Hex Key~			

Part # 44036 *Twist Drill/Countersink not included*

ement pered lls	Part #	Drill Size (Ø)	Replacement Twist Drill for Part #	List Price	•Designed• •Machined• •Assembled•
Tap	49406	9/64"	44006	\$5.55	in the USA
D	49408	11/64"	44008	\$6.08	
ReHS	49410	13/64"	44010	\$6.60	3/8" ∅→

3 (Adjustable Clearance Bore) Perform three steps with one operation

Use with the **Snappy**[™]9/16" ID Premium Rotating Depth Stop for precise depth control!

$\langle 1 angle$ • Drill a Pilot Hole

PATENT PENDING

•Allows your wood screw to engage just the right amount of material to avoid splitting and cracking

2-Cut a clearance hole in top board

1

•A clearance hole is large enough for the screw to pass through the top board without the threads enaging it, preventing separation and shifting during assembly

3 Countersink or Counterbore

•Countersink into the top board to allow the head of the screw to sit flush with the surface of the board. Or counterbore farther to set the screw below the surface allowing you to plug the hole

•Features•

82°

-D3

D2

|−D1

•Three sizes available - #8, #9, & #10

•Clearance bore is adjustable for a 1/2", 3/4", 4/4" thick stock •Can also be used in 1-1/2" thick lumber if counterboring into the workpiece

•Special, long length HSS twist drills

•Countersink body and boring blade are made from thru-hardened alloy steel for long cutting life

•The boring blade has an oversized flute for excellent chip clearance and a back taper to minimize friction

3 sinks	Part #	Drill Size (D1)	Clearance Bore (D2)	Counterbore Size (D3)	Recommended Screw Size	List Price
ters	43937*	7/64"	3/16"	3/8"	#8	\$21.99
A nu	43938*	1/8"	7/32"	3/8"	#9	\$21.99
Co	43919*	9/64"	1/4"	1/2"	#10	\$21.99

* Works with our 9/16" Premium Rotating Depth Stop (Part # 44036) (Page 15)

nent vist s	Part #	Drill Size (Ø)	Replacement Twist Drill for Part #	List Price
Tv Tv rill	49107	7/64"	43907	\$4.50
D ₁	49108	1/8"	43938	\$4.61
Re F	49109	9/64"	43919	\$4.61

Clearance Bore) Countersinks

ACB (Adjustable

Depth of Clearance Bore is adjustable from 1/2"-1"

Quick Change Chucks & Bit Organizers

•Our patented **Snappy[™]** quick change chuck allows fast changes between drilling & driving

•Accepts all tools with a 1/4" hex power bit shank

•Durable all steel construction, heat-treated for excellent wear resistance and strength

•Simply pushing the bit in will lock it firmly into the drive channel with a hardened chrome ball bearing

•Quickly remove the bit by pulling back the knurled sleeve





	allin.	11.		
			-	1
	Ma			2
14	49.9	Magazi	i den	1310
*	074	200	- tabl	ye
in the	(internet			٢
NOD:	- Calif	HEAM	ar -	
1	a state	3000		
	7			

10

Part # 40011

•Designed• •Machined• •Assembled• in the USA

Part #	Description		
40011	Snappy [™] Industrial Quick Change Chuck	\$16.58	
18075	Small 3D Printed Benchtop/Wall Mount Bit Organizer (Empty) - Holds: 51 – 1/4" Power Bit Shank Bits, 13 – 1/4" Insert Bits, 2 – 11/32" Hex Shank Tools, 9 – Hex/Torx Keys	\$19.99	
18127	Medium 3D Printed Benchtop/Wall Mount Bit Organizer (Empty) - Holds: 95 – 1/4" Power Bit Shank Bits, 16 – 1/4" Insert Bits, 2 – 11/32" Hex Shank Tools, 14 – Hex/Torx Keys	\$27.99	
18166	Large 3D Printed Benchtop/Wall Mount Bit Organizer (Empty) - Holds: 128 – 1/4" Power Bit Shank Bits, 16 – 1/4" Insert Bits, 2 – 11/32" Hex Shank Tools, 20 – Hex/Torx Keys	\$39.99	



Part # 18075

17



Part # 18127



Drill Bit Adapters

•Snappy[™] drill bit adapters utilize a collet to adapt standard round drill bits to a 1/4" hex power bit shank to be used in quick change chucks and other tools designed to accept a 1/4" hex shank, like impact drivers

•Use the 3/8" adapter for pocket hole step drills! Part # 42024 *Step Drill/Drill Stop not included* Age Laser engraved for easy identification!



•Use the Bench Mount Shank Wrench to easily replace drill bits Part # 42881

	Part #	Description	Minimum Ø (Decimal Inch)	Maximum Ø (Decimal Inch)	List Price		
	42881	Bench Mount 1/4" Hex Shank Wrench					
	42001	1/4" x 1/2" Hex Shank Socket					
	42002*	1/32" Drill Bit Adapter	.025"	.040"	\$5.97		
	42004*	1/16" Drill Bit Adapter	.047"	.062"	\$5.97		
	42005*	5/64" Drill Bit Adapter	.065"	.080"	\$5.97		
	42006*	3/32" Drill Bit Adapter	.081"	.096"	\$5.97		
	42007*	7/64" Drill Bit Adapter	.095"	.110"	\$5.97		
ere	42008*	1/8" Drill Bit Adapter	.114"	.129"	\$5.97		
apt	42009*	9/64" Drill Bit Adapter	.126"	.141"	\$5.97		
۸d	42010*	5/32" Drill Bit Adapter	.144"	.159"	\$5.97		
it ∕	42011*	11/64" Drill Bit Adapter	.158"	.173"	\$5.97		
B	42012*	3/16" Drill Bit Adapter	.174"	.189"	\$5.97		
Drill Bit Adapters	42013*	13/64" Drill Bit Adapter	.189"	.204"	\$6.60		
D	42014*	7/32" Drill Bit Adapter	.205"	.220"	\$6.60		
	42015*	15/64" Drill Bit Adapter	.223"	.238"	\$6.60		
	42016*	1/4" Drill Bit Adapter	.237"	.252"	\$7.13		
	42018*	9/32" Drill Bit Adapter	.268"	.283"	\$7.13		
	42020*	5/16" Drill Bit Adapter	.287"	.302"	\$8.81		
	42024*	3/8" Drill Bit Adapter	.362"	.377"	\$8.81		
	40020	7 Piece Drill Bit Adapter Set ~Includes: 42004, 42006, 42008, 42010, 42012, 42014, 42016 + 42001~					
	47001	7 Piece Drill Bit Adapter Set in Mini Tool Book ~Includes: 42006, 42008, 42010, 42012, 42014, 42016, 42024 + 42001~					

* Twist drill not included when purchased individually

Industrial Driver Bits

•Premium quality industrial driver bits. All with a 1/4" hex power bit shank for fast changes between drilling and driving



19



Part # 63222

•Make dropped and lost screws a thing of the past! Slide the **MAG-A-BIT** magnetizer onto the driver bit or screwdriver of your choice to magnetize the bit and firmly hold the screw •The unique design of the precision-machined stainless steel ring allows the **MAG-A-BIT** to be used on 1/4" hex shanks as well as on much smaller driver bits and screwdrivers because the three powerful neodymium magnets housed inside the ring have freedom to move as much as needed while not falling out

Part #	Description	List Price
52123	#1,#2,#3 Square x 2" Driver Bits (2 Pcs. Each)	\$9.23
52222	#2 Square x 2" Driver Bits (6 Pcs.)	\$9.23
54123	#1, #2, #3 Square x 4" Driver Bits (1 Each)	\$9.23
54222	#2 Square x 4" Driver Bits (3 Pcs.)	\$9.23
56110	#1 Square x 6" Driver Bits (2 Pcs.)	\$9.23
56220	#2 Square x 6" Driver Bits (2 Pcs.)	\$9.23
56330	#3 Square x 6" Driver Bits (2 Pcs.)	\$9.23
62123	#1,#2,#3 Phillips x 2" Driver Bits (2 Pcs. Each)	\$9.23
62222	#2 Phillips x 2" Driver Bits (6 Pcs.)	\$9.23
64123	#1, #2, #3 Phillips x 3.5" Driver Bits (1 Each)	\$9.23
64222	#2 Phillips x 3.5 Driver Bits (3 Pcs.)	\$9.23
66110	#1 Phillips x 6" Driver Bits (2 Pcs.)	\$9.23
66220	#2 Phillips x 6" Driver Bits (2 Pcs.)	\$9.23
66330	#3 Phillips x 6" Driver Bits (2 Pcs.)	\$9.23
72123	#1, #2, #3 Phillips & Square x 2" Driver Bits (1 Each)	\$9.23
76220	#2 Phillips & Square x 6" Driver Bits (1 Each)	\$9.23
63222	#2 Pozi-Driv x 2.75" Driver Bits (3 Pcs.)	\$9.23
63333	#3 Pozi-Driv x 2.75" Driver Bits (3 Pcs.)	\$9.23
70016	MAG-A-BIT Driver Bit Magnetizer (Single Pack)	\$10.99
70026	MAG-A-BIT Driver Bit Magnetizer (2 Pack)	\$19.99







Shappy

9%

0

volde

764

0

3 Pc. Set Part # 45300

shappy %4

Self-Centering Hinge Bits & Shelf Pin Drill Guides

•Use self-centering hinge bits to accurately drill pilot holes in hinges, handles, drawer slides and other hardware

•Ensures screws will be straight and flush for proper mounting of hardware

•Use SnappyTM shelf pin drill guides to drill holes for shelf pins

- •The knurled barrel easily unscrews to clean out chips that may get into the tool's body
- •Precision machined to work with **SnappyTM** quick change chucks or any tool designed to accept a 1/4" hex shank





	Part #	Drill Size (Ø)				•The hardened		
ર જ	45105	5/64"	#2 (#4)			nose bushing centers itself in		
	45107	7/64"	#6 (#8)			hardware for a		
Bit des	45108	1/8"	[#] 8 ([#] 10)			perfectly centered		
nge Bit: Guides	45109	9/64"	#10 (#12)			pilot hole		
Hinge Bits ill Guides	45111	11/64"	#12					
	45113	13/64"	#14					
ing 1 D	45005	5mm	5mm Euro Screws					
terin Pin	46005	5mm	5mm Shelf Pins					
ent	46016	1/4"	1/4" Shelf	Pins	\$27.29			
Self-Centering Shelf Pin Dr	45300	3 Piece Self-Centering Hinge Bit Set ~Includes: 45105, 45107, 45109 + 1/8" Hex Key~			\$33.06			
Š	40050	5 Piece Self-Centering Hinge Bit Set ~Includes: 45105, 45107, 45109, 45111, 45113 + 1/8" Hex Key~						
	45400	Quick Change Chuck & 3 Piece Self-Centering Hinge Bit Set ~Includes: 45105, 45107, 45109, 1/8" Hex Key + Quick Change Chuck~						
	Part #	Drill Size (Ø)	Replacement Twist Drill for Part #	List Price				
HSS ls	49105	5/64"	45105	\$4.50	the second			
ent F Drills	49107	7/64"	45107	\$4.50	1. 10 T	Con.		
Dr	49108	1/8"	45108	\$4.61	tin the	All and a second		
Replacement Twist Drill	49109	9/64"	45109	\$4.61	A second			
	49111	11/64"	45111	\$6.60				
	49113	13/64"	45113	\$6.71				
	49005	5mm	45005/46005	\$11.01				
	49016	1/4"	46016	\$11.01		_		

• www.SnappyTools.com • Toll Free # 800-334-7472 •



48025

18021

	2- Self-Centering Hinge Bits (7/64" & 9/64"), 1- Quick Change Chuck~	
48030	 Deluxe Tool Book - Maker's Edition ~Includes: 1- Deluxe Tool Book, 5- Drill Bit Adapters (1/8", 5/32", 3/16", 7/32", 1/4"), 1- Hex Shank Socket, 5- Gold Screw Countersinks (5/64", 3/32", 7/64", 1/8", 9/64"), 3- Flat Bottom Counterbores (1/8" x 3/8", 1/8" x 1/2", 3/16" x 1/2"), 1- Rotating Depth Stop, 2- Hex Keys (1/8" & 5/32"), 5- 2" Driver Bits (#2sq, #3sq, T25, #2PH, #3PH), 5- Self-Centering Hinge Bits (5/64", 7/64", 9/64", 11/64", 13/64"), 1- Quick Change Chuck~ 	\$272.99
18030	Empty Deluxe Tool Book (Closed Dimensions: 8.25" x 10.5" x 2")	\$24.99

25 Piece Premium Drilling System in Mini Tool Book ~Includes: 7- Drill Bit Adapters (1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"),1- Hex Socket, 5- Gold Screw Countersinks (5/64", 3/32", 7/64", 1/8" x 3/8" & 9/64" x 1/2")

2- Countersink Stop Collars (3/8" & 1/2"), 2- Hex Keys (1/8" & 3/32"), 6- 2" Driver Bits (#1,#2,#3PH & #1,#2,#3sq), 1- Quick Change Chuck, 1- Nylon pouch with molded holders~

Empty Mini Tool Book (Closed Dimensions: 5.25" x 6.25" x 1.625")

\$94.49

\$19.99

Festool Centrotec Compatible Accessories

23



Snappy Tools

Festool Centrotec Compatible Accessories

•Combines the shank from the Festool Centrotec system, designed for reduced runout, with the proven performance of Make it Snappy[®] Tools

with the proven performance of Make it Snappy [®] Tools										
Countersinks	Part #	Drill Size (Ø)	Counterbore Size (Ø)	Recomme Hardwo	Recommended Screw Size Hardwood (Softwood)		ze List Pric	t e		
	93006	3/32"	3/8"	(#6)		\$11.5	4			
	93007	7/64"	3/8"	8" *6 (*8)		\$11.5	4			
Iter	93008	1/8" 3/8"			#8 (#10)		\$11.5	4		
uno	93009	9/64"	1/2"	#10 (#12)		\$11.5	4			
CC	93258	1/8"	1/4"	#8 Trim Screw		\$11.5	4			
	93052	4 Piece Countersink Set ~Includes: 93006, 93007, 93008, 93009, 95312 + 1/8" Hex Key~				\$41.9	9	à		
ng	Part #				1/8" × 1/4					
eri Sits	95105	5/64" Self-Cer	ntering Hinge Bit with	Centrotec Shank	\$16.26		Trim-Screw Countersink			
ent se F	95107	7/64" Self-Centering Hinge Bit with Centrotec Shank			\$16.26]]	Part # 93258			
Self-Centering Hinge Bits	95108		tering Hinge Bit with (\$16.26	-	-			
elf H	95109	9/64" Self-Centering Hinge Bit with Centrotec Shank			\$16.26		a a			
Š	95300	3 Piece Self-Centering Hinge Bit Set ~Includes: 95105, 95107, 95109 + 1/8" Hex Key~ \$43.04								
er	Part #	Description List Price Use with t					tha #1 so			
Drive Bits	95311	#1sq x 3"Drive	r Bit with Centrotec Sh	ank & Hardened	Tip \$6	.50		Driver I	Bit for	
DI	95312	#2sq x 3"Drive	r Bit with Centrotec Sh	ank & Hardened	Tip \$6	.50		n-Head Part # 9	d Screws	
	95612	*2sq × 6"Driver Bit with Centrotec Shank & Hardened Tip \$7.55				Ľ	aι ι π .	5511		
	Part #	Description List Price					t e			
Sets	92352	Handy Man's Set in Mini Tool Book ~Includes: 93007, 93009, 92008, 92012, 92016, 95107, 95312, 42001 + 1/8" Hex Key~ \$					\$62.9	99		
	93572	Cabinet Maker's Set ~Includes: 93006, 93007, 93008, 93009, 95107, 95109, 95312 + 1/8" Hex Key~				\$62.9	99			
	Part #		Description		Minim (Decima		Maximur (Decimal I		List Price	
ers	92881	Bench Mount Shank Wrench for Centrotec Drill Bit Adapters			apters		\$10.49			
pto	92008*	1/8" Drill B	it Adapter with Cen	trotec Shank	.11	1"	.126"		\$7.34	
Drill Bit Adapters	92010*	5/32" Drill H	Bit Adapter with Cer	ntrotec Shank	.14	4"	.159"	.159"		
	92012*	3/16" Drill H	Bit Adapter with Cer	trotec Shank	.174	4"	.189"	.189"		
B	92014*	7/32" Drill H	Bit Adapter with Cer	trotec Shank	.20:	5"	.220"		\$8.39	
rill	92016*	1/4" Drill B	it Adapter with Cen	trotec Shank	.23	7"	.252"		\$8.91	
Dı	92024*	3/8" Drill B	it Adapter with Cen	trotec Shank	.36	2"	.377"		\$11.01	
	92050	5 Piece Drill Bit Adapter Set in Mini Tool Book ~Includes: 92008, 92010, 92012, 92014, 92016 + 42001~				\$45.14				

* Twist drill not included when purchased individually



25



• www.SnappyTools.com • Toll Free # 800-334-7472



•Make it Snappy[®] Tools warrants to distributors and end users of its products that each new product manufactured or supplied by Make it Snappy[®] Tools shall be free from defects in material and workmanship. The provisions of this warranty will not apply to any Make it Snappy[®] Tools product that has been subjected to misuse, improper operating conditions or to tools that have been repaired or altered.

•All prices are in US dollars and are subject to change without notice.

CALIFORNIA RESIDENTS 🛆 WARNING

Many of our products require a California Prop 65 warning, either because when used they produce dust or because their manufacture involves chemicals known to the state of California to cause cancer, birth defects or other reproducive harm. Because we list several items per page, we have posted ample warning throughout this publication with clear and reasonalbe access to Prop 65 Warnings. For more information on your rights under California Proposition 65 visit www.p65warnings.ca.gov or call 916/445-6900



Rev. 06/2024